



Justrite Safety Group

Dry Areas - Comfort™

411 Sof-Tred™



411 SOF-TRED™

Dry Areas - Light duty

411 Sof-Tred™

Pebble pattern provides non-directional traction and is easy to clean. Basic worker comfort derived from 9.4 mm thick worker platform comprised of a construction of microcellular vinyl consisting of millions of air bubbles that provide basic ergonomic benefit.

All four sides are bevelled and sealed to minimize tripping hazards.

Recommended use:

- Light duty
- Dry areas
- For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.

Specifications:

- Microcellular vinyl
- Backing: Microcellular PVC foam
- Bevelled edges on all sides
- Overall thickness: 9,4 mm
- Weight: 2,3 kg/m²
- Fire rating: Class 2 according NFPS Safety Code 101
- Slip rating: R10
- Free of DOP, free of DMF, free of ozone depleting substances, free of silicone and free of heavy metals

Standard sizes:

- 60cm x 91cm
- 91cm x 150cm

Full rolls:

- 60cm x 18.3m
- 91cm x 18.3m
- 122cm x 18.3m

Custom lengths:

- 60cm x linm
- 91cm x linm
- 122cm x linm

Colours:

- Black, Blue, Black/Yellow, Grey

Cleaning instructions:

- Daily sweeping with a brush



PRODUCT TESTING



411 Sof-Tred™ (black)

Art. nr.	Dimensions	Weight kg
411S0323BL	60cm x 91cm	1,2
411S0335BL	91cm x 150cm	3
411R0324BL	60cm x 18.3m	26
411R0336BL	91cm x 18.3m	37
411R0348BL	122cm x 18.3m	51
411C0324BL	60cm x linm	1,4
411C0336BL	91cm x linm	2
411C0348BL	122cm x linm	2,8

411 Sof-Tred™ (blue)


Art. nr.	Dimensions	Weight kg
411S0323BU	60cm x 91cm	1,2
411S0335BU	91cm x 150cm	3
411R0324BU	60cm x 18.3m	26
411R0336BU	91cm x 18.3m	37
411R0348BU	122cm x 18.3m	51
411C0324BU	60cm x linm	1,4
411C0336BU	91cm x linm	2
411C0348BU	122cm x linm	2,8

411 Sof-Tred™ (black/yellow)

Art. nr.	Dimensions	Weight kg
411S0323BY	60cm x 91cm	1,2
411S0335BY	91cm x 150cm	3
411R0324BY	60cm x 18.3m	26
411R0336BY	91cm x 18.3m	37
411R0348BY	122cm x 18.3m	51
411C0324BY	60cm x linm	1,4
411C0336BY	91cm x linm	2
411C0348BY	122cm x linm	2,8

411 Sof-Tred™ (grey)

Art. nr.	Dimensions	Weight kg
411S0323GY	60cm x 91cm	1,2
411S0335GY	91cm x 150cm	3
411R0324GY	60cm x 18.3m	26
411R0336GY	91cm x 18.3m	37
411R0348GY	122cm x 18.3m	51
411C0324GY	60cm x linm	1,4
411C0336GY	91cm x linm	2
411C0348GY	122cm x linm	2,8



411 Sof-Tred™

GENERAL DESCRIPTION

Type	Dry Areas - Comfort™
Description	9.4 mm thick worker platform comprised of a construction of microcellular vinyl consisting of millions of air bubbles. Pebble pattern provides non-directional traction.
Recommended use	Dry Areas
Surface	Structured pebble pattern
Category	Ergonomic, Anti-fatigue Safety Matting Light duty
Colours	Black, Blue, Black/Yellow, Grey
Edges	Bevelled edges on all sides

TECHNICAL SPECIFICATIONS

Material	Microcellular vinyl
Backing	Microcellular PVC foam
Process	Foaming
Total weight	2,3 kg/m ²
Overall thickness	9,4 mm

TESTS

Compression deflection	U.S.	0.4 cm 0.6 cm
Fire rating	EN 13501	Class 2 according NFPS Safety Code 101
Slip rating	DIN 51130	R10
Sustainability	Recyclable material	
Abrasion resistance	ASTM D3884-01	18.1%
Coefficient friction	ASTM C1028-96	0.79
Elongation	ASTM D412	192%
Tear Strength	ASTM D1004	11.4 lb
Surface flammability	ASTM D2859	Pass

DIMENSIONS

Standard sizes	Full rolls	Custom lengths
60cm x 91cm	60cm x 18.3m	60cm x linm
91cm x 150cm	91cm x 18.3m	91cm x linm
	122cm x 18.3m	122cm x linm