

538 GRIPWALKER[™] LITE

538 Gripwalker™ Lite

Durable hygienic matting creates a healthier and safer environment in wet areas such as shower facilities. The grip design creates a slip-resistant yet comfortable walking surface for bare feet.

Anti-microbial treated materials prevents growth of fungi or bacteria and promotes hygiene in wet areas such as locker rooms, public swimming pools, commercial saunas, and shower facilities.

Open structure for easy draining of water, soap, shampoo and lotions where dependable sure footing is essential. Easy to clean and requires only minimal maintenance.

Recommended use:

- Light duty
- · Hygienic anti-slip matting for placement in wet areas

Specifications:

- Antibacterial PVC
- No borders
- Overall thickness: 5,3 mm
- Weight: 3,6 kg/m²
- Free of DOP, free of DMF, free of ozone depleting substances, free of silicone and free of heavy metals

Full rolls:

- 91cm x 12.2m
- 122cm x 12.2m

Custom lengths:

- 91cm x linm
- 122cm x linm

Colours:

• Grey, Blue

Cleaning instructions:

· Hose off with water
















PRODUCT TESTING




538 Gripwalker™ Lite (grey)

Art. nr.	Dimensions	Weight kg
538B0023GY	60cm x 90cm	
538B0035GY	90cm x 150cm	
538R0036GY	91cm x 12.2m	40
538R0048GY	122cm x 12.2m	53
538C0036GY	91cm x linm	3,3
538C0048GY	122cm x linm	4,4



538 Gripwalker™ Lite (blue)

Art. nr.	Dimensions	Weight kg
538R0036BU	91cm x 12.2m	40
538R0048BU	122cm x 12.2m	53
538C0036BU	91cm x linm	3,3
538C0048BU	122cm x linm	4,4



538 Gripwalker™ Lite

GENERAL DESCRIPTION

Туре	Wet Areas - Hygienic Mats		
Description	Anti-slip mat, open wave design.		
Recommended use	Wet Areas		
Surface	Open waved structure		
Category	Ergonomic, Anti-fatigue Safety Matting Light duty		
Colours	Grey, Blue		
Edges	No borders		

TECHNICAL SPECIFICATIONS

Material	Antibacterial PVC	
Process	Extrusion	
Total weight	3,6 kg/m²	
Overall thickness	5,3 mm	

TESTS

Sustainability	Recyclable material	
Surface flammability	ASTM D2859	Pass

DIMENSIONS

Standard sizes	Full rolls	Custom lengths
	91cm x 12.2m	91cm x linm
	122cm x 12.2m	122cm x linm

